

### Car Polishes that inspire



### Your Partner for Perfection

#### The Utmost in Polishing Expertise

For perfect polishing, we always go the extra mile. With our innovative mixtures and polishing processes, we ensure that you achieve premium results economically and safely. Above-average investment in research and development makes us the technology leader in the polish industry – and an ideal partner for industry and trade.

#### Focused on Your Success

The best polish for nearly every surface – this is the result of our consistent focus on polishing technology. We are familiar with the characteristics and peculiarities of various applications and materials down to the finest detail. Customers can rely on us to meet their requirements thanks to close collaboration with leading customers from the paint and automotive industries as well as a comprehensive distribution network.



our laboratory.





Large-Scale Production Complex batch production of the highest quality and adherence to deadlines.



Special Formulas With hundreds of specially developed formulas, we offer tailor-made products for any task and any surface.



**Process Development** 

Systematic optimization of

your polishing processes.





Industry Expertise Consistently high surface quality with economical consumption.

Automotive Expertise Unbeatable expertise for automotive manufacturers, suppliers, and detailing professionals.



### **Our Expertise –** Your Added Value



#### High Performance for the Automotive Industry and Aftermarket Professionals

For polishes that inspire and impress, we develop and produce the most innovative polishing technology.

Menzerna polishing compounds meets the highest industrial standards in automotive plants all over the world. Professionals benefit from this whenever they use our products to shine, polish, maintain, repair and protect cars. The complete and sophisticated range of polishing products is precisely tailored to the needs and challenges of the automotive industry. Polishing compounds and accessories from Menzerna make long-lasting, brilliant polishes possible, even when working quickly with low material consumption.

- Process orientation according to industry standards
- One-step products for efficient work
- Guidance for the user throughout the polishing process
- Maintains the value of the car's paint
- True polishing results without the use of silicones and fillers
- Range of water-based polishes
- Healthy and pleasant working with VOC-free\* polishes



### **Greater Polishing Performance** for Cars



- Removal of scratches, varnish runs, spray, smears, shading, and holograms
- Adjustment of paint finishes
- Creation of various degrees of gloss up to show-car finish
- Refurbishing of surfaces

### Industry Expertise \_\_\_\_\_

#### **Greater Polishing Performance**

Always the best solution – for every user, every step of the way. That is what our full range of polishing technology offers the automotive industry. From highly abrasive grind polishes to long-lasting sealants, our products are designed systematically as a coordinated range. Our powerful products and structured processes help you save time and money, which helps you achieve efficient and brilliant polishes.

#### The first choice for:

- Automobile manufacturers
- Automotive suppliers



DetailersCar lovers



### Healthy and pleasant working,

with innovative polishes.





## The Menzerna GREEN LINE products protect the health of the user and protect the environment.

The VOC-free\* abrasive polishes meet the stringent criteria of DIN EN ISO 11890-2, as they contain no aggressive, highly volatile solvents. Professional users in industry and trades value the far more comfortable processing offered by the Menzerna GREEN LINE product range, which represents perfection in polishing.

VOC-free* abrasive polishes compared to standard products		
	Conventional abrasive polishes	VOC-free* abrasive polishes
Without solvent odor	×	~
Comfortable working	×	<b>v</b>
No risk to health	×	<
No damage to the environment	×	~
High abrasion	<b>v</b>	~

- Healthy: free from unpleasant, harmful solvent vapors and odors
- Comfortable: significantly more comfortable to work with
- Environmentally friendly: emission-free



### Super Heavy Cut Compound 300 GREEN LINE 🜊

#### High Performance Compound for max. abrasion, VOC-free\*.

This VOC-free\* high-performance compound leads the field in the removal of sanding marks. Healthier and more comfortable working in professional paintwork applications. Removes 1500 grit sanding marks and signs of use in the shortest time.



### Heavy Cut Compound 400 GREEN LINE 🜊

### Polishes to gloss in just one process step, without hazardous solvents.

The innovative cut compound for automotive clear coats leaves a dazzling impression everywhere. Gets sanding marks out of the way in record time and works into the finish range - without aggressive, volatile solvents.

Cut/Gloss:	8 / 8	
		Step + Step + Step 1 + 2 + 3 HEAVY CUT MEDIUM CUT FINISH
Volumes:	250 ml 1 l 1 kg	22200.281.001 22200.261.001 22200.260.001

Advantages:	<ul> <li>Extremly high abrasion</li> </ul>
	- Extremely fast removal of sanding marks
	- High yield
	- High-gloss Finish (HCC400 GREEN LINE)
	- No dust formation
	- VOC-free* in according with DIN EN ISO 11890-2
	Face for an event and a short selent

- Free from unpleasant solvent odors
- Easy to handle
- Silicone free

Polishing tool: HEAVY CUT FOAM PAD, Lambs wool

Processing: rotary, orbital



### Heavy Cut Compound 300 High Performance Compound

#### For maximum abrasion.

This high-performance compound leads the field in the removal of sanding marks by lengths. Ideal for professional vehicle detailing and coating. Removes 1500 grit sanding marks and signs of use in the shortest time without damaging the surface or getting adjacent areas dirty. High performance finish thanks to the latest polishing technologies with diminishing abrasives.

Cut/Gloss:	10 /
------------	------



Advantages: - Extremly high abrasion

6

- Extremely fast removal of sanding marks
- High yield
- Premium polishing compounds
- No dust formation
- Easy to handle
- Silicone free

Polishing tool: HEAVY CUT FOAM PAD, Lambs wool

Processing:	rotary, orbital	
Volumes:	250 ml 1 l 1 kg	22746.281.001 22746.261.001 22746.260.001



**POWER LOCK** 

PROTECT

>>

Process Example:



### Heavy Cut Compound 400 Performance Compound

#### Polishes to gloss in just one process step.

The innovative cut compound for automotive clear coats leaves a dazzling impression everywhere. Gets sanding marks out of the way in record time. Works into the finish range thanks to the latest polishing technology with diminishing abrasives.

Cut/Gloss:	8/8	Step + Step + Step 1 + 2 + Step HEAVY CUT MEDIUM CUT FINISH
Advantages:	- Saves t	s and produces gloss in one step ime thanks to one-step ng process ficiency oss level
Polishing tool:	HEAVY CUT	FOAM PAD, Lambs wool
Processing:	rotary, or	bital
Volumes:	250 ml 1 l 1 kg	22759.281.001 22759.261.001 22759.260.001



**Process Example:** 

COMPOU

>> SUPER 3

P**ower Lock** Ultimate Pr<u>otection</u>

>>

Product video:



### **3 in 1** One-step Polish: Cut, Gloss & Wax

#### Medium cut polish, high-gloss finish and sealant in one.

The all-rounder in top form. Reliably removes streaks, swirls and clouding, and provides lasting protection for the high-gloss surface. Shines with ease and speed, making it ideal for the polishing beginner and for the detailing of employee cars and used vehicles.

5/9					
		Step 2	Step 3	+	Step 4
	Pol	ishing	Swirl removing		Sealing
Polish, - Fast de - Silicone	finish, sea ep gloss f e free	alant	255:		
Medium C	<mark>ut</mark> Foam Pa		<mark>ut</mark> Foam Pa	nd, 🎽	
Wax Foam	<b>Pad</b> , Micr	ofiber c	loth		·))
Step 1: ro	otary otary/orbi		loth		$\cdot$
	- One-ste Polish, - Fast de - Silicone - Overpai	<ul> <li>One-step polishin Polish, finish, sea</li> <li>Fast deep gloss f</li> <li>Silicone free</li> <li>Overpaintable</li> </ul>	<ul> <li>One-step polishing proce Polish, finish, sealant</li> <li>Fast deep gloss finish</li> <li>Silicone free</li> <li>Overpaintable</li> </ul>	<ul> <li>Step 2 Polishing</li> <li>One-step polishing process: Polish, finish, sealant</li> <li>Fast deep gloss finish</li> <li>Silicone free</li> <li>Overpaintable</li> </ul>	<ul> <li>Step 2</li> <li>Polishing</li> <li>Swirl removing</li> <li>One-step polishing process:</li> <li>Polish, finish, sealant</li> <li>Fast deep gloss finish</li> <li>Silicone free</li> </ul>



**Process Example:** 



### **Power Protect Ultra 2 in 1** High-Gloss Finish & Wax

**2** in **1:** Silicone-free coating sealant and a high-gloss finish. Ultimate performance that goes the distance: Removes fine streaks and holograms in addition to forming a protective film that counteracts the adhesion of dirt.

Cut/Gloss:	2 / 10	
		Step + Step 4
		Swirl Sealing removing
Advantages:	- 2 in 1: H one proc - Tangibly	ilicone free, overpaintable igh-gloss polish and sealant in duct smoother surface water-beading
Polishing tool:	SOFT CUT F Microfiber	<b>DAM PAD, WAX FOAM PAD,</b> - cloth
Processing:	Step 1: or Step 2: or	
Volumes:	250 ml 1 l	22753.281.001 22753.261.001



Process Example:

COMPOUND 400 >> POWER 2 IN

### Heavy Cut Compound 1000

#### Pad polish for the fast removal of sanding marks.

This powerhouse eliminates scratches, overspray and pronounced signs of use quickly and thoroughly. Best price-performance ratio.

Category:	Standard	
Cut/Gloss:	9/3	
Advantages: Polishing tool:	<ul> <li>Fast removal</li> <li>Even sanding</li> <li>High product</li> <li>No dust form</li> <li>Silicone free</li> </ul>	ivity ation
Processing:	rotary	000
<b>Volumes:</b> 250 ml 1 l 1 kg	22984.281.001 22984.261.001 22984.260.001	

#### Process Example:



#### Lambswool polish for the removal of sanding marks.

The gentle yet highly effective secret weapon against scratches and severe signs of use. Optimised for use with lambswool.

Category:	Alternative	
Cut/Gloss:	8/5	
Advantages:	<ul> <li>Fast removal of</li> <li>Optimised forron</li> <li>Lambswool</li> <li>Even sanding</li> <li>High productiv</li> <li>No dust forma</li> <li>Silicone free</li> </ul>	pattern ity
Polishing tool:	Lambswool	
Processing:	rotary	100
<b>Volumes:</b> 250 ml 1 l 1 kg	22930.281.001 22930.261.001 22930.260.001	

#### Process Example:



### Heavy Cut Compound 1100

### Medium Cut Polish 2000

### **« Medium Cut Standard Polish**

**The classic medium polish for the fast removal of signs of use.** A solid basis for a fast victory. Reliably removes signs of use and delivers shine. Best price-performance ratio.

Category:	Standard	
Cut/Gloss:	5/6	

Advantages: - Even polishing pattern - Silicone free

### **MENZERNA OPTIONS:**



#### Process Example:



### Medium Cut Polish 2400

### Medium Cut Polish 2500

#### The liquid alternative for easy handling.

The best solution for liquid application to older and dry coating systems. Improved agility ensures easy handling and brilliant results.

Category:	Alternative
Cut/Gloss:	5/8
Advantages:	<ul> <li>Liquid formulation is ideal for working on older and dry surfaces</li> <li>Silicone free</li> </ul>
Polishing tool:	MEDIUM CUT FOAM PAD
Processing:	rotary, orbital
<b>Volumes:</b> 250 ml 1 l	22923.281.001 22923.261.001

#### Process Example:



#### The dazzling alternative for the fast removal of sanding marks.

Offers an optimum combination with the removal of sanding marks and gloss production on automotive clear coats. Extraordinary gloss inclusive.

Category:	Alternative	
Cut/Gloss:	5 / 7	
Advantages:	- Even polishi - Extraordinar - Silicone free	ry gloss
		menzerna
Polishing tool:	MEDIUM CUT FOAI	M PAD
	MEDIUM CUT FOAI	M PAD
Polishing tool: Processing: Volumes: 250 ml 1 l		M PAD

100 <sup>>></sup> <sup>POLISH</sup> 25<u>00</u> >>

**POWER LOCK** 

500 >>

### Final Finish 3000

### **«** Standard Finish



#### Classic swirl remover for a perfect gloss.

The standard high-gloss polish is absolutely reliable in the removal of polishing marks, clearing the way for a brilliant gloss.

Category:	Standard	
Cut/Gloss:	3/9	
Advantages:	<ul> <li>Fine abrasives for removing fogging and holograms</li> <li>Brilliant gloss</li> <li>Silicone free</li> </ul>	
Polishing tool:	SOFT CUT FOAM PAD, Microfiber cloth	ð
Processing:	rotary, orbital	D
<b>Volumes:</b> 250 ml 1 l	22029.281.001 22029.261.001	•

#### Process Example:



### **MENZERNA OPTIONS:**

# For a perfect mirror finish

For an ultimate high definition gloss





### Super Finish 3500

### Super Finish Plus 3800

#### Swirl remover for a perfect mirror finish.

The master of all classes removes polishing marks, micro-scratches and holograms, guaranteeing a brilliant deep gloss.

Category:	Alternative	
Cut/Gloss:	3 / 10	
Advantages:	- Finest abras and holograr - Brilliant dee - Silicone free	p gloss
		menzerna SUPER FINISE Tel cale attack
Polishing tool:	<b>SOFT CUT FOAM PA</b> Microfiber cloth	
Processing:	rotary, orbital	0500
<b>Volumes:</b> 250 ml 1 l	22911.281.001 22911.261.001	

#### Process Example:



#### Show car finish for the ultimate deep gloss.

Removes polishing marks, micro-scratches and holograms in a brilliant performance with genuine star qualities.

Category:	Alternative	
Cut/Gloss:	2 / 10	
Advantages:	<ul> <li>Finest abrasic on holograms</li> <li>Show car finis</li> <li>Silicone free</li> </ul>	
Polishing tool:	<b>SOFT CUT FOAM PAI</b> Microfiber cloth	n.
Processing:	rotary, orbital	<b>U08U</b>
<b>Volumes:</b> 250 ml 1 l	22992.281.001 22992.261.001	

#### Process Example:



>> POWER LOCK

>> ENDLESS

### **Power Lock Ultimate Protection**

#### Polymer coating sealant for all automotive clear coats.

The long-haul specialist acts as a lasting sealant, reliably protecting against environmental influences with an unrivalled beading effect and ultimate deep gloss.

Category:	Standard	
Advantages:	<ul> <li>Sealing technology of</li> <li>Extremely long servic</li> <li>Maximum protection influences</li> <li>Premium beading be</li> <li>Protects the vehicle's</li> </ul>	e life against environmental haviour
	Product video:	menzerna) POWER LOCK ULTIMATE PROTECTION
Polishing tool:	WAX FOAM PAD, Microfiber cloth	
Processing:	orbital, by hand	
<b>Volumes:</b> 250 ml 1 l	22070.281.001 22070.261.001	

#### Process Example:



### For tangible smooth surfaces

### Standard es Protection





# MENZERNA OPTIONS:

**«** Sealing Recommendation

### **Liquid Carnauba Protection**

### **Sealing Wax Protection**

#### Natural sealing blend for surface enthusiasts.

Long-lasting, functional protection combined with a soft, natural feel and brilliant deep gloss. Developed for perceptibly smoother surfaces.

Category:	Alternative	
Advantages:	<ul> <li>High-quality carnauba wax</li> <li>Very high wax content</li> <li>Hydrophobic surface</li> <li>Very good drop formation</li> <li>Soft surface feel</li> <li>Ultimate deep gloss</li> <li>For machine and manual processing</li> </ul>	
Polishing tool:	WAX FOAM PAD, Microfiber cloth	
Processing:	orbital, by hand	
Volumes:		0 e e 🕢
250 ml	22068.281.001	
11	22068.261.001	

#### Standard coating sealant.

Produces a deep gloss and brilliance on the coating surface. Builds up a protective film that counteracts the adhesion of dirt.

Category:	Alternative
Advantages:	<ul> <li>Reliable basic protection</li> <li>Straightforward processing</li> </ul>



#### Process Example:

Polishing tool:

Processing:

**Volumes:** 250 ml

1ι

WAX FOAM PAD, Microfiber cloth

orbital, by hand

22870.281.001

22870.261.001



#### Process Example:



### **Metal Polish**

#### Universal Polishing Cream.

Metal Polish cleans and polishes stainless steel, aluminium, chrome, brass, copper, silver and plastics. Perfect gloss for exhaust, radiator grille, decorative strips, rims etc. Also perfect on domestic and leisure parts like cutlery, sanitary fittings, metal instruments etc.

Polishing tool:	Microfiber cloth	
Processing:	<ol> <li>Apply by hand with microfiber</li> <li>Polish with circular movements</li> <li>Remove residue with a clean, soft cloth</li> </ol>	POLISH
<b>Volumes:</b> 125 g	23003.391.001	

### **Control Cleaner**

#### Cleaning spray for especially thorough polishing.

The ultimate pre-cleaner to support the visual inspection of the coating surface being worked on. Removes polish residues, grease and contaminants prior to sealing.

Advantages:	<ul> <li>Improved formulation</li> <li>Cleans without streaks</li> <li>Remove all traces of polishing residues and grease</li> <li>Perfect wiping</li> </ul>	T
Polishing tool:	Microfiber cloth	
Processing:	by hand	<u>w_</u> \$
<b>Volumes:</b> 500 ml	26934.271.001	

SEALING

#### **Process Example:**



### **Endless Shine**

#### Detailing spray to refresh the gloss.

Wellness program for all smooth surfaces like clear coat, glass, plastic or metal. Applies a protective film to the coating with a beautiful, deep gloss – including premium beading effect.

Advantages:	<ul> <li>Protection and glo</li> <li>Extended durabilit</li> <li>Perfect water bear</li> <li>Antistatic effect</li> </ul>	y of the sealant	T
Polishing tool:	Microfiber cloth		
Processing:	by hand		SHINE
<b>Volumes:</b> 500 ml	22747.271.001	-	

### MZ Wash

#### Premium Car Shampoo

Removes dirt without leaving residue and prepares the surface for polishing. This car shampoo dries quickly and leaves behind a beautiful deep gloss.

Vorteile	- Quick drying - Glossy surface - High cleaning power - Suitable for all coat types - Silicone free, pH neutral	menaerno 72 WASH
Polishing tool:	Washing Mitt, Microfiber cloth	
Processing:	by hand	
<b>Volumes:</b> 1 เ	26932.099.001	and the second s

#### Process Example:





### **Liquid Matt**

#### Matting paste for surface preparation.

Establishes the conditions required for reliable results in repainting or refinishing. Works on a water basis – for mechanical or manual application.

Advantages:	<ul> <li>Uniform surface</li> <li>Establishes the optimum basi for coating application</li> <li>Straightforward application, even on rounded surfaces</li> </ul>	S
Polishing tool:	Non-woven abrasive, Lambs wool, <b>HEAVY CUT FOAM PAD</b>	•
Processing:	rotary, by hand	
<b>Volumes:</b> 1l	20144.261.001	



### Solid Grit

#### Sanding block for sanding clear coat surfaces.

Solid Grit reliably and easily removes scratches, runs, dust inclusions, etching and orange peel, and is perfect for use on repairs. The two P2000 and P3000 sanding blocks are supplied in a handy plexiglass case. Both blocks are very low-wearing and ensure the best manual sanding quality.

Processing:	by hand
Volumes:	
o ·	0/000 100 000

2 pieces per set 26902.100.000



### Premium Pad Program

Original Menzerna polishing tools get the maximum out of your surface. The pads in different degrees of hardness are optimised for use with the Menzerna automotive polishing products. A safety edge protects against damage by the backing plate on curvatures. The washable foam perfectly adapts to the surface.





Premium Backing Plate

Diameter: 123 mm, Article no.: 26931.099.001

### Menzerna:

# Economical, reliable and flexible in application. Brilliant.

The Menzerna polishing programme is designed as a flexible 4-step polishing system.

#### **Confidence in success**

A standard product is assigned to each of the four polishing levels – Heavy Cut, Medium Cut, Finish and Protection. Together these products form the Menzerna standard process, which is considered as recommendation. Numerous application cases are securely covered in practice with this process.

#### **Quality through flexibility**

Alternative and special products are available for each polishing level – to meet the needs of special application cases, or for even greater performance. All Menzerna products are matched to each other so that the interplay works 100 % at all times even when standard products are exchanged.

# The latest polishing technologies for working efficiently

Many years of experience and close cooperation with the automobile industry and leading coating manufacturers ensure economic efficiency and fast processes. This is where the specialty products, identified by the silver label, truly come into their own. Multiple polishing steps are covered by the latest polishing technologies.

### At a glance:

### The Menzerna Polishing Program





\*VOC-free means free of Volatile Organic Compounds (VOC) in Acc. with DIN EN ISO 11890-2.

In the Menzerna process flyers, users will find system recommendations for the fields of vehicle detailing, vehicle coating, finishing and care. **www.menzerna.com** 

Note





# Polished surfaces that make an impression.



Available at:

#### menzerna polishing compounds

GmbH & Co. KG Industriestraße 25 · D-76470 Ötigheim Telephone: +49 (0)7222 / 91 57-0 Fax: +49 (0)7222 / 9157-810 office@menzerna.com